


# FULL HOUSE SMART HOME SYSTEM

Smarter than Ever



Create Smarter & Comfortable Life Experience for Global Users



# Global 3.5 Million Users



**Xiamen**  
1421 smart residences



**Sanya**  
223 Smart Villas



**Yunnan**  
52 smart hotel rooms



**Wuhan**  
380 smart hotel rooms



**Kunming**  
240 smart apartments



**Yalong Bay, Sanya**  
100 Smart Villas



**Shijiazhuang**  
3000 smart residences



**Tianjing**  
528 smart villas



**Xiamen, Fujian**  
240 smart apartments



**Henan**  
800 smart residences



**Chengdu**  
1000+ smart apartments



**Shanghai**  
Smart apartments



**Qingdao**  
Smart Villas



**Shenzhen**  
1000+ smart apartments



**Shanghai**  
3000 smart residences



**Beijing**  
Smart residences



**Chengdu**  
Smart Villas



**Shanghai**  
800+ smart residences



**Guangzhou**  
Smart Villas



**Shanghai**  
456 Smart Villas



**Chengdu**  
300 smart residences



**Shenzhen**  
44 smart class rooms



**Japan**  
Smart hotel



**Singapore**  
Smart apartments



**Henan**  
990 smart residences



**Henan**  
Smart retirement community



**Wuhan**  
5497 smart apartments



**Guangzhou**  
Smart residences



**Guangzhou**  
Smart Villas



**Beijing**  
Smart Villas



**Tianjing**  
Smart Villas



**Chengdu**  
1413 smart residences



**Shanghai**  
Smart Villas



**Shenzhen**  
1000+ smart residences



**Beijing**  
1500 smart apartments



**Sanya**  
800+ smart residences

# MAKE SMART LIFE COME TRUE

Create Smarter & Comfortable Life Experience for Global Users



## Shenzhen – Star River Dante Luxury Home

15 years fan's smart home



## Fujian – Longxi Grand View Large Flat

A model of luxury intelligent living




## Olympic Champion Zhongman's Private Residence

Champion quality to create a champion new home

## 400 years old Ming Dynasty mansion

Ming Dynasty mansion transformed into the future intelligent living museum



## Guangzhou – Tianhe One

Intelligent luxury residential landmark in the Greater Bay Area

## Nantong – Sky Garden

2000 sq. ft. villa



# MAKE YOUR HOME A DECADE AHEAD

Change the interaction between people and space, and create high-end technical home for each user looking for a better life.

ORVIBO is committed to reshaping the connection between people and environment with technological aesthetics to make life better. HomeAI OS 3.0, the active intelligence system developed by ORVIBO, is a global leader in active intelligence and whole house system capability, with strong technical research and development strength, and a total of more than 300 patents and more than 50 soft documents. We have built a super smart home ecology covering thousands of products.



## HomeAI OS 3.0 System

Families love to use, more experience

ORVIBO HomeAI OS is the first active intelligent whole home smart home operating system, the first generation of which won the Red Dot Interactive Design Award. It has many industry-first functions, such as "ONE STEP", "Wake Up Nearby", "Quick Link", "Home Appliance Manager", "Ai Sense", etc. It supports mainstream IoT platforms and has been connected to more than 10 million devices. It supports mainstream IoT platforms and has connected to more than 10 million devices.

**Jupiter Technology**  
Triple play, end-to-end priority

**New Multi-Device Smart Control Center**

**Cross-screen interaction framework**  
Dimming lights Air conditioner

**Octopus**  
Network self-healing technology

**MatriShield™**  
IOT full-link bidirectional security technology  
Fully protect the privacy and security

**Improved stability 80%**

**Wake up nearby 3.0**  
One Step™3.0

**AiSense 4.0 Active intelligence**  
Auto Light Adaptive Dimming

03:00 07:00 10:00 12:00 16:00 19:00 22:00

**Low power consumption**  
Low heat generation, efficient operating

**Nature Link** **HomeAI OS** **Flash Group**

**HADC** zigbee WiFi Bluetooth Thread matter **MORE...**

## Smart Life, One Step Ahead

Ten years of lean innovation to build your future home

ORVIBO takes the super smart panel as the interaction center and covers the intelligent product matrix of the whole living space.

20+


Product categories

600+

ORVIBO Smart Products


6500+

Product Access



## Palace-level Product Design

ORVIBO is the only smart home company in the world that has won the Grand Slam of four major international design awards. Especially in 2017, ORVIBO won the iF Gold Award together with Apple, Sony and Ferrari. This is the first Chinese company to win this award in the field of architectural technology since 1954, and it represents the highest honor for global industrial aesthetics.






## ORVIBO Home

A smarter, simpler and safer IoT APP.

ORVIBO Home is an all-in-one APP to connect lighting, security and more devices in your home. With its user-friendly interaction and simple controls, you can easily monitor and manage everything in your home. This means it can do more for you, and you can do less.

Support 15 Languages: Chinese(Simplified/Traditional), English, Japanese, French, German, Spanish, Portuguese(Brazilian), Korean, Russian, Vietnamese, Turkish, Czech, Arabic.




ORVIBO Home





## Original Inventor of MixPad

MixPad Super Smart Panel Series








5G Smart Life in One Step

## MixPad X Full Screen Super Smart Panel

- 12.3 inches widescreen
- Smart super screen, the perfection of technology and aesthetics
- Intelligent central control of thousands of devices
- Hi-Fi stereo wall sound





Smart Panel Funny Life

### MixPad Genie

- Multiple installation methods (L&N/Type-C).
- Can be connected to a variety of speakers.
- APP remote control, can also be controlled outside.
- Touch screen+buttons.



The Perfect Combination of Aesthetics and Technology

## MixPad S Super Smart Panel

Flagship Version

- Subvert the traditional smart switch
- AI voice and APP multi-dimensional interaction
- Cooler home experience
- Ready to use without modification



Scene Linkage



Active intelligence




All-in-one gateway




No need to wake up



Grey



Gold





White



Eight-in-one True Intelligence

## MixPad M2 Smart Voice Control Panel

- Four-way high-power light control
- Smart control of whole house infrared home appliances
- Touch screen, APP multi-dimensional interaction
- 400W high power load





# MixPad 7 Ultra

## Home Decoration Smart Screen

- 7 inches Home Aesthetics Large Screen
- 3 Home Style Audio Decorative Surfaces
  - 3+3 high-fidelity background music
  - Super Home Album




7 Inches Large Screen



High brightness  
Anti-fingerprint  
Full viewing

Independent stereo  
DTS training



Almighty Gateway  
Super Compatible



ZigBee   WiFi   Bluetooth   Matter



Built-in 4 loop  
Max 2200W light control

Home Aesthetics Album



# MixPad 7

Smart Voice Control Panel

- Support 4-channel light control
  - Super photo album
  - Stereo, ultra-thin sound



All Outstanding




All-in-one Gateway

Protocol:  
Zigbee, Wi-Fi,  
Bluetooth, Ethernet



Super smart  
photo album




Remote control of  
IR home appliances



# MixPad C2 Smart Panel

Let some houses get rich first


- Standard 86 bottom box
  - No need to rewire
- No need to remodel walls



APP remote control



Easy to install



Network disconnection  
can also be controlled



Relay Pro-Tech™

Over-temperature overload  
automatic power-off

VO class  
fire retardant

  red dot award 2018  
winner

## Technology and Aesthetics Create wall arts

MixSwitch Series






## MixSwitch Defy

### Defy Series Smart Switch



- Dual-screen intelligent switch
- 200 keystrokes professional adjustment
- Hand paint material spraying process
- MixCtrl™ 2.0 button



# MixSwitch Bach

## Bach Series Smart Switch

3-inch IPS high-definition touch screen | Support Max800W light control  
 Modular townhouse design | Customizable color and button names








reddot award 2020  
winner

Free definition, intelligent life within reach.

## MixSwitch Super Smart Switch

- One-key switch control the whole house lights
- Three colors optional
- Intelligent control of multiple devices
- RelayPro-Tech™ patented technology, durable



Gold									
White									
Grey									
	1 Gang	2 Gang	3 Gang	Five-hole socket	Battery version	16A 1 Gang	Five-hole fast charge	Five holes 1 Gang	Emergency button

Full House Security System

## Smart Security, 360° Protection

Smart lock series | Smart camera series | Smart sensor series

 Grandpa  
12:45 Authorization of Remote  
Temporary Password

At 2: 25, the door lock is abnormal.  
Do you want to start the alarm mode?



MORE SAFE & MORE ADVANCED

## ORVIBO Smart Door Lock S2




- Independent verification of smart lock cylinder
- Real gold plating armor handle
- MAX 800 long battery life
- Full house smart linkage


Technology and Art  
iF International Gold Award Team 2020 New Work



More Smart And Safe

ORVIBO Smart Door Lock - C1



Extremely Safe, Extraordinary Temperament


## Smart Door Lock – OLOCK

- WiFi smart door lock, small lock body, US type
- Support, password, Card unlock
- realize the linkage of the whole house smart home



# Giant Eye 2K Smart Camera S1

- 2K Ultra HD Image Quality
- AI Motion Detection
- Motion Tracking and Shooting
- Cry Monitoring






High-definition picture for 355° panoramic cruise, you can see more clearly and more fully

### Smart Camera

- 1080P full HD wide-angle image quality
- Large and wide-angle double rotating platform, no dead angle stereo monitoring
- Large cloud storage, 7 days of video can be viewed back
- Two-way intercom as smooth as a phone call



One-click emergency call in distress

### Smart Emergency Button

- One-key phone alarm
- Push alarm reminder
- Ultra-low power consumption, longer battery life



Real-time detection of smoke concentration to prevent the spread of danger

### Smart Smoke Sensor

- Highly sensitive and stable photoelectric sensor
- Low-power Zigbee wireless technology is more stable
- 85dB super decibel alarm sound



Real-time monitoring of temperature and humidity

### Smart Temperature and Humidity Sensor

- Real-time monitoring of temperature and humidity
- Full house smart home appliance linkage
- High precision sensor



Sensitive detection of CO

### Smart Carbon Monoxide Sensor

- Adopt Japanese NEMOTO high performance sensor
- Sound and light alarm, the first time to know the accident
- High stability and low sensitivity drift



Sensitive detection of gas concentration to prevent

### Smart Combustible Gas Sensor


- Imported high stability semiconductor sensor
- Highly sensitive detection of combustible gas concentration
- "Active" telephone alarm in case of distress



Real-time sensing of water anomalies and immediate alerts

### Smart Water Leak Sensor

- Be aware of water leakage, overflow and water level changes at the first time
- Local light alarm, remote push alarm



The same level of unmanned driving provides super perception of human body status

### Motion Sensor

- 24GHz millimeter wave radar
- 12 kinds of human body state accurate detection
- 12m large detection diameter
- Intelligent lighting control



Always sense door and window switch status

### Door and Window Sensor

- APP real-time view of door and window switch status
- Interlocked window pusher, automatically closes the window when it rains
- No installation required, Ready-to-use



One Universal Remote Controller for Whole House



### Magic cube / Magic dot Smart Infrared Remote Control

- One-key control of the whole house infrared home appliances with the mobile app
- Linkage of air conditioners, TVs, set-top boxes, fans, stereos, etc.
- 360° infrared signal coverage without dead angle
- Zigbee signal control home appliances



Smart Device Interconnection Essential For Home Security

### Smart Motion Sensor

- Family scene linkage, lights will be on when people arrive
- Leaving mode, prompt reminder of abnormal break-in
- Tool-free installation, three steps to get





Super smart lighting lives up to love




Sky Dome Series

Pseudo natural light



S Series


Museum grade professional light



Q Series

Healthy and comfortable light





Next-generation Quasi-natural Light Smart Light

### Sky Dome Series Smart Light

- Four lighting modes
- Reproduce blue-sky optical technology
- RG0 grade no-blue light
- Quick Installation patented technology



## S Series

- Museum grade, high standard optical configuration
- Single lamp smart control, precise dimming



## S Series Smart Spotlight S10



10,000-level color  
temperature control




Real gold conductive  
anti-oxidation



Solar spectrum  
SOPRO

High-definition  
restores true colors



Four layers of anti-glare  
Enjoy eye protection



### Extreme Optics, Deep Anti-glare

S Series Smart Spotlight S10 (7W)



(with frame)

(with frame)



(frameless)

(frameless)

Product Size	Ring shape
φ67×H77mm	Round
L67×W67×H81mm	Square
Cut-out Size	Beam angle
Φ55mm	15° /24° /36°
55×55mm	15° /24° /36°
Color temperature range	Power
2700K ~ 6000K	7W
Color rendering index	Luminous flux
Ra > 90	≥ 350lm

### Extreme Optics, Deep Anti-glare

S Series Smart Spotlight S10 (12W)



(with frame)

(with frame)



(frameless)

(frameless)

Product Size	Ring shape
φ85×H103mm φ100×H103mm	Round
L85×W85×H106mm L100×W100×H106mm	Square
Cut-out Size	Beam angle
Φ75mm	15° /24° /36°
75×75mm	15° /24° /36°
Color temperature range	Power
2700K ~ 6000K	12W
Color rendering index	Luminous flux
Ra > 90	≥ 600lm

### Extreme Optics, Deep Anti-glare

S Series Smart Grille Light S10 (Embedded) (10W)



Product Size	Beam angle
L148.6×W45×H43mm	30°
Cut-out Size	Luminous flux
L143×W35mm	≥ 500lm
Color rendering index	Power
Ra > 90	10W
Color temperature range	2700K ~ 6000K

### Extreme Optics, Deep Anti-glare

S Series Smart Grille Light S10 (Embedded) (20W)



Product Size	Beam angle
L281.5×W45×H43mm	30°
Cut-out Size	Luminous flux
L275×W35mm	≥ 1000lm
Color rendering index	Power
Ra > 90	20W
Color temperature range	2700K ~ 6000K

### Polarized Light, Uniform Light Distribution

S Series Polarized Wall Washer Light  
S10 (Embedded) (10W)



Product Size	Beam angle
L148.6xW45xH43mm	/
Cut-out Size	Luminous flux
L143xW35mm	≥ 500lm
Color rendering index	Power
Ra > 90	10W
Color temperature range	
2700K ~ 6000K	

### Glow Soft, Even Illumination

S Series Ultra Thin Smart Spotlight S1  
(Embedded) (7W24°)



Product Size	Beam angle
φ95xH46mm	24°
Cut-out Size	Luminous flux
φ75mm	≥ 455lm
Color rendering index	Power
Ra > 90	7W
Color temperature range	
2700K ~ 6000K	

### Polarized Light, Uniform Light Distribution

S Series Polarized Wall Washer Light  
S10 (Embedded) (20W)



Product Size	Beam angle
L281.5xW45xH43mm	/
Cut-out Size	Luminous flux
L275xW35mm	≥ 1000lm
Color rendering index	Power
Ra > 90	20W
Color temperature range	
2700K ~ 6000K	

### Glow Soft, Even Illumination

S Series Ultra Thin Smart Downlight S1  
(Embedded) (7W105°)



Product Size	Beam angle
φ95xH46mm	105°
Cut-out Size	Luminous flux
φ75mm	≥ 420lm
Color rendering index	Power
Ra > 90	7W
Color temperature range	
2700K ~ 6000K	

### Soft Glow, Even Illumination

S Series Anti-Glare Smart Spotlight S1  
 (7W24°)



Product Size	Beam angle
φ85×H74mm	24°
Cut-out Size	Luminous flux
φ75mm	≥ 460lm
Color rendering index	Power
Ra > 90	7W
Color temperature range	
2700K ~ 6000K	

### Soft and Comfortable, Evenly Distributed

S Series Smart Downlight  
 Smart stepless color temperature light (5W)



Product Size	Beam angle
φ90×H63.5mm	100°
Cut-out Size	Luminous flux
φ75mm	≥ 400lm
Color rendering index	Power
Ra > 90	7W
Color temperature range	
2700K ~ 6000K	

### No Ceiling Required floor height

S Series Surface Mounted Round Smart  
 Spotlight S3 (7W)



Product Size	Ring shape
φ93×H106mm	Round
L75×W75×H95mm	Square
Beam angle	Power
28°	7W
Color rendering index	Luminous flux
Ra > 90	≥ 420lm
Color temperature range	
2700K ~ 6000K	

### Accurate spotlight and exquisite atmosphere

S Series Smart spotlight  
 Smart stepless color temperature light (6W)



Product Size	Beam angle
φ90×H63.5mm	28°
Cut-out Size	Luminous flux
φ75mm	≥ 500lm
Color rendering index	Power
Ra > 90	6W
Color temperature range	
2700K ~ 6000K	



Easy to clean  
tempered glass surface



IP65 oil  
and waterproof



10,000-level fine color  
temperature control



1.57cm deep  
cup anti-glare



Radar microwave  
induction



30s delay off



Automatic energy  
saving during the day



Two color temperatures  
are available

### Waterproof and Anti-fog for Kitchen and Bathroom

S Series Waterproof Smart Downlight  
S10 (9W)



Product Size	Beam angle
φ84.5×H66mm	90°
Cut-out Size	Luminous flux
φ75mm	≥ 450lm
Color rendering index	Power
Ra > 90	9W
Color temperature range	
2700K ~ 6000K	

### Lights on when people come, lights off when people leave


S Series Motion Sensor Downlight S10 (6W)



Product Size	Beam angle
φ80×H43.5mm	85°
Cut-out Size	Luminous flux
φ75mm	≥ 320lm
Color rendering index	Power
Ra > 90	6W
Color temperature range	
3000K / 4000K	

# Ultra-thin S20 Beautiful Seam Level Smart Magnetic Track Light

- 6mm ultra-thin track 12mm ultra-thin light
- Zigbee 3.0 single light smart control, 10,000-level dimming and color mixing
- Museum-level healthy light Patented lens anti-glare eye protection
- Strong magnetic adsorption + safety lock patent double insurance



### Extreme Optics, Deep Anti-glare

S Series S20 Smart Magnetic Flood Light S20 (10W)



Product Size	Beam angle
L416xW30xH12mm	110°
Color rendering index	Luminous flux
Ra > 90	≥ 600lm
Color temperature range	Power
2700K ~ 6000K	10W

### Extreme Optics, Deep Anti-glare


S Series S20 Smart Magnetic Grille Light S20 (10W)



Product Size	Beam angle
L416xW30xH12mm	24°
Color rendering index	Luminous flux
Ra > 90	≥ 600lm
Color temperature range	Power
2700K ~ 6000K	10W

### Extreme Optics, Deep Anti-glare

S Series S20 Smart Magnetic Flood Light S20 (20W)



Product Size	Beam angle
L39xW30xH12mm	110°
Color rendering index	Luminous flux
Ra > 90	≥ 1200lm
Color temperature range	Power
2700K ~ 6000K	20W

### Extreme Optics, Deep Anti-glare

S Series S20 Smart Magnetic Grille Light S20 (20W)



Product Size	Beam angle
L739xW30xH12mm	24°
Color rendering index	Luminous flux
Ra > 90	≥ 1200lm
Color temperature range	Power
2700K ~ 6000K	20W

### Extreme Optics, Deep Anti-glare

S Series S20 Smart Magnetic Folding Grille Light S20 (12W)



Product Size	Beam angle
L216×W30×H41mm	24°
Color rendering index	Luminous flux
Ra > 90	≥ 720lm
Color temperature range	Power
2700K ~ 6000K	12W

### Extreme Optics, Deep Anti-glare

S Series Ultra-thin intelligent magnetic suction pendant lamp S20 (bright eyes) (10W)



Product Size	Beam angle
Φ100*W120*H2000mm	75°
Color rendering index	Luminous flux
Ra > 90	≥ 600lm
Color temperature range	Power
2700K ~ 6000K	10W

### Extreme Optics, Deep Anti-glare

S Series S20 Smart Magnetic Spotlight S20 (12W)



Product Size	Beam angle
L120×W54×H142mm	24°
Color rendering index	Luminous flux
Ra > 90	≥ 660lm
Color temperature range	Power
2700K ~ 6000K	12W

### Ultra-thin intelligent magnetic attraction rail lamp accessories

Track | Connector | Magnetic Track Power


Blade Slim Track



S20 Magnetic Track Power Supply



S20 Ultra-thin Track Connector



### Basic lighting, soft and versatile

S Series Smart Magnetic Floodlight (8W)



Product Size	Beam angle
L220xW22xH25mm	100°
Color rendering index	Luminous flux
Ra > 90	≥ 400lm
Color temperature range	Power
2700K ~ 6000K	8W

### Accent lighting

S Series Smart Magnetic Grille Light (8W)



Product Size	Beam angle
L222xW22xH25mm	30°
Color rendering index	Luminous flux
Ra > 90	≥ 480lm
Color temperature range	Power
2700K ~ 6000K	8W

### Basic lighting, soft and versatile

S Series Smart Magnetic Floodlight (15W)



Product Size	Beam angle
L435xW22xH25mm	100°
Color rendering index	Luminous flux
Ra > 90	≥ 750lm
Color temperature range	Power
2700K ~ 6000K	15W

### Accent lighting

S Series Smart Magnetic Grille Light (15W)



Product Size	Beam angle
L435xW22xH25mm	30°
Color rendering index	Luminous flux
Ra > 90	≥ 900lm
Color temperature range	Power
2700K ~ 6000K	15W

## Basic lighting

S Series Smart Magnetic Folding Grille Light (12W)



Product Size	Beam angle
L222xW22xH110mm	24°
Color rendering index	Luminous flux
Ra > 90	≥ 480lm
Color temperature range	Power
2700K ~ 6000K	8W

## Accent lighting

S Series Smart Magnetic Spotlight (15W)



Product Size	Beam angle
φ44xH146mm	24°
Color rendering index	Luminous flux
Ra > 90	≥ 900lm
Color temperature range	Power
2700K ~ 6000K	15W

## Accent lighting

S Series Smart Magnetic Spotlight (8W)



Product Size	Beam angle
φ44xH146mm	24°
Color rendering index	Luminous flux
Ra > 90	≥ 480lm
Color temperature range	Power
2700K ~ 6000K	8W

## Decorative Lighting

S Series Half Moon Smart Magnetic Pendant Light S2 (6W)



Product Size	Beam angle
Light: φ100mm Hanging wire: 900mm	140°
Color rendering index	Luminous flux
Ra > 90	≥ 480lm
Color temperature range	Power
2700K ~ 6000K	6W

## Decorative Lighting


S Series Cylindrical Smart Magnetic Chandelier S2 (5W)



Product Size	Beam angle
Light: $\phi 50 \times H300$ mm Hanging wire: 900mm	14°
Color rendering index	Luminous flux
Ra > 93	$\geq 25$ lm
Color temperature range	Power
2700K ~ 6000K	5W

## Basic lighting Soft and versatile


S Series Cylindrical Smart Magnetic Chandelier S2 (Three PCS) (3x5W)



Product Size	Beam angle
Light: $\phi 50 \times H300$ mm Hanging wire: 900mm	14°
Color rendering index	Luminous flux
Ra > 93	$\geq 75$ lm
Color temperature range	Power
2700K ~ 6000K	3x5W

## Concealed Installation, Neat and Clean


Embedded Magnetic Track Accessories



1m | 2m



Inside corner




Flat corner



Outside corner

## No Need for Slotting, Simple Installation

Surface Mounted Magnetic Track Accessories



1m | 2m



Inside corner




Flat corner



Outside corner

## No Need for Grooving, Release Layer Height

Ultra-thin surface mounted magnetic track








1m | 2m



Flat corner




Inside corner





### Light feels elegant and silky

S Series Smart COB Super Bright Light Strip S10



Product Size	LED
L5000xW10mm	672Pcs/m
Color rendering index	Luminous flux
Ra > 90	≥ 550lm
Color temperature range	Power
2700K ~ 6500K	6.5W/m

### Light feels elegant and silky


S Series Smart Color Temperature Light Strip



Product Size	LED
L5000xW14mm	120Pcs/m
Color rendering index	Luminous flux
Ra > 80	≥ 600lm
Color temperature range	Power
2700K ~ 6500K	6W/m

# Q Series

- Natural soft light eye protection slow bright
- 1000-level precise dimming
- Zigbee 3.0 wireless intelligent control



### Deeply hidden anti-glare, soft eye protection

Q Series Anti-Glare Smart Spotlight (9W)



Product Size	Beam angle
φ86xH85mm	24° / 36°
Cut-out Size	Luminous flux
φ75mm	≥ 750lm
Color rendering index	Power
Ra > 90	9W
Color temperature range	
3000K / 4000K / 6000K	

### Accent lighting is bright

Q Series Smart Magnetic Floodlight (8W)



Product Size	Beam angle
L300xW22xH45mm	110°
Color rendering index	Luminous flux
Ra > 90	≥ 320lm
Color temperature range	Power
3000K / 4000K / 6000K	8W

### Uniform illumination is bright and soft

Q Series Anti-glare Smart Downlight (9W)



Product Size	Beam angle
φ84xH70mm	100°
Cut-out Size	Luminous flux
φ75mm	≥ 700lm
Color rendering index	Power
Ra > 90	9W
Color temperature range	
3000K / 4000K / 6000K	

### Accent lighting is bright

Q Series Smart Magnetic Floodlight (15W)



Product Size	Beam angle
L600xW22xH45mm	110°
Color rendering index	Luminous flux
Ra > 90	≥ 600lm
Color temperature range	Power
3000K / 4000K / 6000K	15W

### Accent lighting lighting ornament

Q Series Magnetic grating lamp (8W)



Product Size	Beam angle
L220xW22xH45mm	30°
Color rendering index	Luminous flux
Ra > 90	≥ 640lm
Color temperature range	Power
3000K / 4000K / 6000K	8W

### Accent lighting is bright

Q Series Magnetic folding grating lamp (12W)



Product Size	Beam angle
L218xW105xH21mm	30°
Color rendering index	Luminous flux
Ra > 90	≥ 960lm
Color temperature range	Power
3000K / 4000K / 6000K	12W

### Accent lighting lighting ornament

Q Series Magnetic grating lamp (15W)



Product Size	Beam angle
L440xW22xH45mm	30°
Color rendering index	Luminous flux
Ra > 90	≥ 640lm
Color temperature range	Power
3000K / 4000K / 6000K	15W

### Accent lighting is bright


Q Series Smart Magnetic Spotlight (8W)



Product Size	Beam angle
φ45xH100mm	30°
Color rendering index	Luminous flux
Ra > 90	≥ 640lm
Color temperature range	Power
3000K / 4000K / 6000K	8W

## Concealed Installation, Neat and Clean


Embedded Magnetic Track Accessories



1m | 2m    Inside corner    Flat corner    Outside corner

## No Need for Slotting, Simple Installation

Surface Mounted Magnetic Track Accessories



1m | 2m    Inside corner    Flat corner    Outside corner

## No Need for Grooving, Release Layer Height

Ultra-thin surface mounted magnetic track



1m | 2m    Flat corner    Inside corner



**Hidden Magnetic track**  
Power supply



**Magnetic Track**  
Type I Receptacle



**Magnetic Track**  
Power Connector



**Integrated magnetic track**  
Power supply



**Magnetic Track**  
Type L Connector



**Magnetic Track**  
Hanging Wire Accessories



# Seven-star lighting design service

The common choice of 98% of high-end users



## Museum-level Design Effect Experience



The rich layered space highlights the beauty

Soft lighting atmosphere is more comfortable

Starting from the details of life

## Senior lighting design team



- National Lighting Designer
- German DIALux illumination professional lecturer
- With 1 million m<sup>2</sup> of lighting design experience

## National Lighting Design Standard



- Professional lighting design drawings
- Light effect simulation map, false color map
- Professional lighting selection and guide

One Step into 5G Smart Life

## Light And Shadow Aesthetics

Smart Curtain Series



Afternoon mode

Curtain Living Room  
ON 91%






# 3D Smart Lighting Curtain

Vertical, Water ripple curtain | Curtain Rotation  
Active fine dimming | 30dB ultimate mute

- 8:00 am-12:00 am
- 12:00 am-18:00 pm
- 18:00 pm-22:00 pm

Curtain ON

◀ || ▶



# DB Super Mute Smart Curtain Motor

0 Carbon, Healthy & Super Quiet



Brushless motor,  
extremely quiet



Opening  
and closing

<28\*  
dB

Baby  
breathing sound


32 dB

Carbon-free  
is healthier.



100% opening and closing ratio,  
Stepless adjustment

MixPad remote control



☀️ One Meter Sunshine Mode

📏 Curtains open 15%

Thick curtains are  
easy to pull




2 N.m

Rated torque

100 KG

Weight capacity



Good products for young people at home. Your curtains will "listen" from now on

### Smart Curtain Wiring Free Version

- One key control
- Support Voice, APP remote control
- Gentle and not disturbing
- Intelligent scene linkage



Included products:  
curtain motor, running track,  
remote control, lithium battery

Industry innovation masterpiece, pioneer of high-end smart curtains


### Super Mute Smart Curtain ZigBee Type

- One-button control design
- Magnesium-aluminum alloy integral molding
- Imported motor with strong torque
- Support voice, APP and other intelligent control



Included products:  
curtain motor, running  
track, remote control

Smart Full House  
Background Music



# Bluetooth Decor Speaker ArtisBox



Three-band distribution  
loudspeaker

Wide sound field,  
low frequency shock

Subwoofer	Midrange speaker	High-pitched speaker
10W *2	10W *1	10W *1

95% Vocal structures

95% refers to the ratio of  
(volume of sound cavity/volume of the entire speaker)

Three-channel DSP  
sound effect calculation

Aerospace grade  
NdFeB magnet speaker





Elegant and simple design



Enjoy fine sound quality




Ceiling design for easy installation

The second generation of ceiling-mounted background music speakers

### BM2 Ceiling Background Music Speaker

- 25-core titanium membrane tweeter +50W super power
- Frameless design, suitable for various decoration styles
- Connect MixPad to create more life scenes
- Bluetooth connection, compatible with mobile phones, computers, TVs, etc



main speaker

sub speakers



Intelligent voice control



Support 90% of mainstream central air conditioning



Mobile phone remote control  
Comfort at home

Create a smart and comfortable indoor air environment

### AirMaster Central Air Conditioning Smart Control Kit

- Mobile phone remote control
- Power saving up to 30%
- Easy to installation



Give Your Home A 10-year Lead

# The Internet of Everything

Smart home appliances

智能净饮机  
水质  
净化中  
清澈  
优  
24°  
85°

智能净水器  
水质  
净化中  
浑浊  
24°  
85°

智能冰箱  
冷藏室  
2°C  
5°C  
冷冻室  
-15°C  
-20°C

智能扫地机  
厨房





Horizontal disinfection lamp



40 kg super load



Dual fans, fast drying

High-end quality life  
**Smart Hanger**

- Remote control & voice control
- Aerospace-grade aluminum anti-oxidation, anti-rust
- Ultra-quiet and low-noise operation



Premium sanitized version

Fashion version

Deluxe Drying Edition

**Smart Life**



 **1600+** dealers worldwide

 Covering **260+** cities

 Covering **900** whole-house smart experience stores nationwide

 With **10000** technical customer service